

# The Aalborg Beamer Theme

v. 0.1.1

Jesper Kjær Nielsen  
jkn@es.aau.dk

Department of Electronic Systems,  
Aalborg University,  
Denmark

January 17, 2012

# Agenda



The Aalborg Beamer  
Theme

Jesper Kjær Nielsen

## Introduction

License

## Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

## User Interface

Loading the Theme and Theme Options

Compilation

## Feedback

Bugs, Comments and Suggestions

Contact Information

### Introduction

License

### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

### User Interface

Loading the Theme and  
Theme Options

Compilation

### Feedback

Bugs, Comments and  
Suggestions

Contact Information

## Why the Aalborg beamer theme?

- ▶ In August 2010, I gave a presentation at the European Signal Processing Conference (EUSIPCO) here in Aalborg. For that purpose, I created the aausidebar beamer theme.

### 3 Introduction

License

#### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

#### User Interface

Loading the Theme and  
Theme Options

Compilation

#### Feedback

Bugs, Comments and  
Suggestions

Contact Information

## Why the Aalborg beamer theme?

- ▶ In August 2010, I gave a presentation at the European Signal Processing Conference (EUSIPCO) here in Aalborg. For that purpose, I created the aausidebar beamer theme.
- ▶ Since there was no Aalborg University (AAU) branded beamer theme, I published the theme after the conference on my website so that other researches and students at AAU could use the theme for their presentations.

### 3 Introduction

License

#### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

#### User Interface

Loading the Theme and Theme Options

Compilation

#### Feedback

Bugs, Comments and Suggestions

Contact Information

## Why the Aalborg beamer theme?

- ▶ In August 2010, I gave a presentation at the European Signal Processing Conference (EUSIPCO) here in Aalborg. For that purpose, I created the aausidebar beamer theme.
- ▶ Since there was no Aalborg University (AAU) branded beamer theme, I published the theme after the conference on my website so that other researches and students at AAU could use the theme for their presentations.
- ▶ During the last year, I have received a lot of positive feedback. To my surprise, several people not affiliated with AAU have used the theme despite the heavy AAU branding.

### 3 Introduction

License

#### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

#### User Interface

Loading the Theme and Theme Options

Compilation

#### Feedback

Bugs, Comments and Suggestions

Contact Information

## Why the Aalborg beamer theme?

- ▶ In August 2010, I gave a presentation at the European Signal Processing Conference (EUSIPCO) here in Aalborg. For that purpose, I created the aausidebar beamer theme.
- ▶ Since there was no Aalborg University (AAU) branded beamer theme, I published the theme after the conference on my website so that other researches and students at AAU could use the theme for their presentations.
- ▶ During the last year, I have received a lot of positive feedback. To my surprise, several people not affiliated with AAU have used the theme despite the heavy AAU branding.
- ▶ To make the theme more usable to people not affiliated with AAU, I have decided to create a new theme called Aalborg which is very similar to the aausidebar theme, but it does not come with the heavy AAU branding.

### 3 Introduction

License

#### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

#### User Interface

Loading the Theme and  
Theme Options

Compilation

#### Feedback

Bugs, Comments and  
Suggestions

Contact Information

- ▶ The theme is provided under the GNU General Public License v. 3 (GPLv3). This basically means that you can redistribute it and/or modify it under the same license. For more information on the GPL license see <http://www.gnu.org/licenses/>
- ▶ The AAU logo is included in this documentation file. If you are not affiliated with Aalborg University, you should NOT use it. Either remove it or replace it with your own logo.

The theme consists of four files

1. `beamerthemeAalborg.sty`
2. `beamerinnerthemeAalborg.sty`
3. `beamerouterthemeAalborg.sty`
4. `beamercolorthemeAalborg.sty`

The theme can either be installed for local or global use.



The theme consists of four files

1. `beamerthemeAalborg.sty`
2. `beamerinnerthemeAalborg.sty`
3. `beamerouterthemeAalborg.sty`
4. `beamercolorthemeAalborg.sty`

The theme can either be installed for local or global use.

## Local Installation

The simplest way of installing the theme is by placing the four theme files in the same folder as your presentation. When you download the theme, the four theme files are located in the `local` folder.

## Global Installation

- ▶ If you wish to make the theme globally available, you must put the files in your local latex directory tree. The location of the root of the local directory tree depends on the operating system and the latex distribution. On the following slides, you can read the instructions for some common setups.
- ▶ When you download the theme, the four theme files are embedded in a directory structure (in the `global` folder) ready to be copied directly to the root of your local directory tree.
- ▶ On the following slides, we refer to this directory structure as `<dirstruct>`. **Note** that some parts of the directory may already exist if you have installed other packages in your local latex directory tree. If this is the case, you simply merge `<dirstruct>` with your existing setup.

Introduction

License

6 Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

User Interface

Loading the Theme and  
Theme Options

Compilation

Feedback

Bugs, Comments and  
Suggestions

Contact Information

## Ubuntu with TeX Live

1. Place the <dirstruct> in the root of your local latex directory tree. By default it is  
~/texmf  
If the root does not exist, create it. The symbol ~ refers to your home folder, i.e., /home/<username>
2. In a terminal run  
\$ texhash ~/texmf

## Windows with MiKTeX

Apparently, MiKTeX does not include a local latex directory tree by default. Therefore, you first have to create it.

1. To do this, create a folder `<somewhere>` named, e.g., `texmf`
2. Add this folder in the Roots tab of the MiKTeX Settings dialog
3. Place the `<dirstruct>` in your newly created local latex directory tree  
`<somewhere>\texmf`
4. Open the MiKTeX Settings dialog and click Refresh FNDB.

## Windows with TeX Live

In the advanced TeX Live Installer, you can manually change the default position of the root of the local latex directory tree. However, we assume the default position below.

1. Place the <dirstruct> in your local latex directory tree  
`%USERPROFILE%\texmf`  
If it does not exist, create it. In XP %USERPROFILE% is  
`c:\Document and Settings\<username>`  
by default, and in Vista and above it is by default  
`c:\Users\<username>`
2. Open the TeX Live Manager dialog and select 'Update  
filename database' under 'Actions'.

## Mac OS X with MacTeX

Place the <dirstruct> in the root of your local latex directory tree. By default it is  
~/Library/texmf

If the root does not exist, create it. The symbol ~ refers to your home folder, i.e., /home/<username>

10

18

Of course, you have to have the Beamer class installed. In addition, the theme loads two packages

- ▶ TikZ<sup>1</sup>
- ▶ calc

These packages are very common and should therefore be included in your latex distribution.

---

<sup>1</sup>By the way, TikZ is an awesome package for creating beautiful graphics. If you do not believe me, then have a look at these [online examples](#) or the [pgf user manual](#). If you want to create beautiful plots, you should use the pgfplots package which is based on TikZ.

## The Presentation Theme

It is very simple to load the presentation theme. Just type `\usetheme[<options>]{Aalborg}` which is exactly the same way other beamer presentation themes are loaded. The presentation theme loads the inner, outer and color Aalborg theme files and passes the <options> on to these files.

## The Inner Theme

You can load the inner theme directly by `\useinnertheme{Aalborg}` and it has no options.



## The Outer Theme

You can load the outer theme directly by

```
\useoutertheme[<options>]{Aalborg}
```

Currently, the theme options are

- ▶ `hidetitle`: Hide the (short) title in the sidebar
- ▶ `hideauthor`: hide the (short) author in the sidebar
- ▶ `hideinstitute`: hide the (short) institute in the bottom of the sidebar
- ▶ `shownavsym`: show the navigation symbols
- ▶ `left` or `right`: position of the sidebar (default is right)
- ▶ `width=<length>`: width of the sidebar (default is 2 cm).
- ▶ `hideothersubsections`: hide all subsections but the subsections in the current section
- ▶ `hideallsubsections`: hide all subsections

The last four options are inherited from the outer sidebar theme.

The Aalborg Beamer  
Theme

Jesper Kjær Nielsen

Introduction

License

Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

User Interface

13

Loading the Theme and  
Theme Options

Compilation

Feedback

Bugs, Comments and  
Suggestions

Contact Information

# User Interface

## Loading the Theme and Theme Options



### The Aalborg Beamer Theme

Jesper Kjær Nielsen

#### Introduction

License

#### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

#### User Interface

14

#### Loading the Theme and Theme Options

Compilation

#### Feedback

Bugs, Comments and Suggestions

Contact Information

## The Color Theme

You can load the color theme directly by  
`\usecolortheme[<options>]{Aalborg}`  
and it has no options.

18

## The Color Theme

You can load the color theme directly by  
`\usecolortheme[<options>]{Aalborg}`  
and it has no options.

## The Color Element Aalborg

The color theme defines a new beamer color element named  
Aalborg whose foreground and background colors are

- ▶ fg: light blue (`{rgb}{0.55,0.79,0.94}`)
- ▶ bg: dark blue (`{rgb}{0.00,0.41,0.66}`)

Use can use these colors in the standard beamer way by using the  
command `\usebeamercolor[<fg or bg>]{Aalborg}`. See the  
beamer manual for instructions.

## Compiling Your Presentation With the Aalborg Theme

Unlike most other beamer themes, this theme must be compiled at least **three** times to make everything look right. For most other themes (including the aausidebar theme), you do not have to compile your presentation more than two times. For the Aalborg theme, the third compilation is necessary to determine the position of the circle with the current frame number and the length of the "progress bar".

# User Interface

## Modifying the Theme



- ▶ You can modify specific elements of the theme through the templates provided by the beamer class. Please refer to the beamer user manual for instructions.

### The Aalborg Beamer Theme

Jesper Kjær Nielsen

#### Introduction

License

#### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

#### User Interface

Loading the Theme and  
Theme Options

#### 16 Compilation

#### Feedback

Bugs, Comments and  
Suggestions

Contact Information

- ▶ You can modify specific elements of the theme through the templates provided by the beamer class. Please refer to the beamer user manual for instructions.
- ▶ For example, on this slide the following commands have been used
  - ▶ Change the bar and sidebar colors:  
`\setbeamercolor{Aalborg}{fg=gray!20,bg=gray}`  
`\setbeamercolor{sidebar}{bg=red!20}`
  - ▶ Change the color of the structural elements:  
`\setbeamercolor{structure}{fg=red}`
  - ▶ Change the frame title text color:  
`\setbeamercolor{frametitle}{use=structure,fg=structure.fg}`
  - ▶ Change the normal text color background:  
`\setbeamercolor{normal text}{bg=gray!10}`

### The Aalborg Beamer Theme

Jesper Kjær Nielsen

#### Introduction

License

#### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

#### User Interface

Loading the Theme and  
Theme Options

16

#### Compilation

#### Feedback

Bugs, Comments and  
Suggestions

Contact Information

18

# Feedback

Bugs, Comments and Suggestions



The Aalborg Beamer  
Theme

Jesper Kjær Nielsen

Introduction

License

Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

User Interface

Loading the Theme and  
Theme Options

Compilation

Feedback

17 Bugs, Comments and  
Suggestions

Contact Information

- There are probably still some bugs in the theme. If you should find one, then please let me know. No bug is too small!

# Feedback

## Bugs, Comments and Suggestions



### The Aalborg Beamer Theme

Jesper Kjær Nielsen

#### Introduction

License

#### Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

#### User Interface

Loading the Theme and  
Theme Options

Compilation

#### Feedback

17 Bugs, Comments and  
Suggestions

Contact Information

- ▶ There are probably still some bugs in the theme. If you should find one, then please let me know. No bug is too small!
- ▶ Also, please contact me, if you have some exciting new ideas or just some simple usability improvements.



In case you have any comments, suggestions or have found a bug, please do not hesitate to contact me. You can find my contact details below.

Jesper Kjær Nielsen  
jkn@es.aau.dk  
<http://kom.aau.dk/~jkn>  
Niels Jernes Vej 12, A6-302  
9220 Aalborg Ø

The Aalborg Beamer  
Theme

Jesper Kjær Nielsen

Introduction

License

Installation

GNU/Linux

Microsoft Windows

Mac OS X

Required Packages

User Interface

Loading the Theme and  
Theme Options

Compilation

Feedback

Bugs, Comments and  
Suggestions

Contact Information

18